





**HKN-MPX160 COMBI**

1	One set of screw plungers
2	Power cord
3	Left and right housing
4	PCB speed control board
5	Cable sheath
6	Speed control key/cover
7	Pressing board
8	Switch
9	Switch Sheath
10	Switch osculant staff
11	Motor
12	Spline sleeve
13	Rubber ring
14	Spline
15	Plastic head housing
16	Seal ring
17	Bearing
18	Output axis
19	S/S tube
20	Oil seal
21	Bearing sleeve
22	Knife protector
23	Ceramic ring sleeve
24	Ceramic ring
25	Graphite ring spring
26	Graphite ring
27	Convex ring
28	Blade
29	Silicone rubber ring
30	Spline
31	Φ8 Snap ring
32	Bearing washer
33	Bearing
34	Connect sleeve
35	Gear shaft
36	Screw plunger
37	Housing screw
38	Up seal ring
39	Upper cover
40	Needle bearing
41	Screw
42	Screw
43	Baffle plate
44	Φ16 Snap ring
45	Gear B
46	Cylindrical pin
47	Straight gear
48	Output axis
49	Key
50	Down seal ring
51	Shaft sleeve
	Lower cover
52	Oil sealing
53	Set screw
54	Cylindrical pin
55	Fixed board
56	Steel ring
57	Steel bar